

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 1

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F11110 RUNWAYS, FIXED WING	SY								
11111 FW RUNWAY UNSUR	SY LF	27,333			27,333		27,333		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	27,333			27,333		27,333		
F11120 RUNWAYS, ROTARY WING	SY								
11120 RW RUNWAY SURF	SY LF	32,615			32,615		32,615		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	32,615			32,615		32,615		
F11220 TAXIWAYS, ROTARY	SY								
11221 RW TAXIWAY SURF	SY	4,500			4,500		4,500		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	4,500			4,500		4,500		
F11320 PARKING, ROTARY WING	SY								
11320 RW PK APRN SURF	SY	13,200			13,200	118,628	118,628	(105,428)	(h) Requirement based on standard criteria from NG PAM 415-12. The total requirement is based on the anticipated number of rotary-wing aircraft supported simultaneously during aviation training cycles.
FCG Totals:	Area Other	13,200			13,200	118,628	118,628	(105,428)	

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 2

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F12450 LAND VEH FUEL STR	GA								
12450 MOGAS STR UNGD	GA	15,000			15,000		15,000		(h) Total required based on existing permanent assets.
12451 MOGAS STR ABV	GA					90,000	90,000	(90,000)	(h) Requirement distributed as follows: Main Fuel Point, 80,000 GA; MATES, 10,000 GA. Total requirement is based on activity experience.
12481 DIESEL STR ABV	GA					360,000	360,000	(360,000)	(h) Requirement distributed as follows: Main Fuel Point, 260,000 GA; MATES, 50,000 GA; Camp Roberts Airfield, 50,000 GA. Total requirement is based on activity experience.
FCG Totals:	Area Other	15,000			15,000	450,000	465,000	(450,000)	
F12482 LPG STORAGE	GA								
12483 LP GAS STR ABV	GA	7,159			7,159			7,159	
		102,069			102,069			102,069	
FCG Totals:	Area Other	7,159			7,159			7,159	
		102,069			102,069			102,069	
F13115 INFO SYSTEMS FAC	SF								
13120 COMMO CTR	SF			4,168	4,168	6,500	6,500	(6,500)	(h) Total required is based on standard requirement for a facility housing between 200 and 1,200 telephone lines.
13131 INFO PROC CTR	SF	186			186		186		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	186		4,168	4,354	6,500	6,686	(6,500)	

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 3

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F13300 NAV AIDS, BLDG, AIR	SF								
13310 FLT CONT TOWER	SF		36		36				
FCG Totals:	Area Other		36		36				
F13500 COMMUNICATION LINES	MI								
13510 COMMO LINES UNG	MI	50			50		50		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	50			50		50		
F13600 AFLD PAVEMENT LIGHT	LF								
13612 APP LIGHT SYSTEM	LF	7,600			7,600		7,600		(h) Total required based on existing permanent assets.
13613 VIS APP SLP IND	LF	4,500			4,500		4,500		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	12,100			12,100		12,100		
F14110 AFLD OPS BLDG	SF								
14110 AFLD OPS BLDG	SF	34		1,296	1,330	2,310	2,310	(2,276)	(h) Requirement based on the number of aircraft supported during training cycles.
FCG Totals:	Area Other	34		1,296	1,330	2,310	2,310	(2,276)	

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 4

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F14113 OPERATIONS SPT BLDG	SF								
14113 ACCESS CNT FAC	SF			242	242				
14132 READY BLDG	SF			1,145	1,145				
14180 SCALE HOUSE	SF			99	99				
FCG Totals:	Area Other			1,486	1,486				
F14129 TRG AIDS SPT CTR	SF								
14129 TNG AIDS CTR	SF	28,300		7,680	35,980	24,400	24,400	3,900	(h) Total requirement assigned to the Training Support Center (Fort Lewis). Total required based on the training area troop training strength (7,300 troops).
FCG Totals:	Area Other	28,300		7,680	35,980	24,400	24,400	3,900	
F14133 STORAGE SUPPORT FAC	SF								
14133 SHIP/RECV FAC	SF					40,471	40,471	(40,471)	(g,h) Total allowed & required for Battalion Supply & Ration Breakdown facility based on MTC troop training strength (7,300). Criteria: National Guard PAM 415-12
FCG Totals:	Area Other					40,471	40,471	(40,471)	

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 5

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F14161 EOC/SCIF FACILITIES	SF								
14161 EMERG OPNS CNTR	SF		4,784		4,784		4,784	(4,784)	(h) Total required based on existing semi-permanent assets.
FCG Totals:	Area Other		4,784		4,784		4,784	(4,784)	
F14182 HQ BLDG, BRIGADE	SF								
14182 BDE HQ BLDG	SF	2,284	8,915	21,664	32,863	26,250	26,250	(23,966)	(g,h) Total allowed & required based on one 3,750 gross SF facility per 1,000 authorized MTC troop training strength (7,300). Criteria: National Guard PAM 415-12
FCG Totals:	Area Other	2,284	8,915	21,664	32,863	26,250	26,250	(23,966)	
F14183 HQ BLDG, BATTALION	SF								
14183 BN HQ BLDG	SF		9,594	29,868	39,462	38,500	38,500	(38,500)	(g,h) Total allowed & required based on one 2,750 gross SF facility per 500 authorized MTC troop training strength (7,300). Criteria: National Guard PAM 415-12
FCG Totals:	Area Other		9,594	29,868	39,462	38,500	38,500	(38,500)	
F14185 HQ BLDG, COMPANY	SF								
14185 CO HQ BLDG	SF	5,100	33,516	80,999	119,615	104,974	104,974	(99,874)	(g,h) Total allowed & required based on one 1,438 gross SF facility per 100 authorized MTC troop training strength (7,300). Criteria: National Guard PAM 415-12
FCG Totals:	Area Other	5,100	33,516	80,999	119,615	104,974	104,974	(99,874)	

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 6

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F14900 MISC OPS FAC,N-BLDG	EA								
14970 LD/UNLD DOC/RMP	EA	2		1,761	1,763		2		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	2		1,761	1,763		2		
F14955 ORG MAINT SPT FAC	EA								
14955 WASH PLAT ORG	EA	66		2	68		66		(h) Total required based on existing permanent assets.
14960 GREASE RACK	EA	2		1	3		2		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	68		3	71		68		
F14962 CENTRAL WASH FAC	EA								
14962 CENT WASH FAC	EA	19			19		19		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	19			19		19		
F17112 SIMULATOR FACILITIES	SF								
17182 MVG TGT SIMULAT	SF	3,600			3,600		3,600		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	3,600			3,600		3,600		
F17119 ORG CLASSROOM	SF								
17119 ORG CLASSROOM	SF PN			2,800 200	2,800 200				
FCG Totals:	Area Other			2,800 200	2,800 200				

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 7

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F17120 GEN INSTRUCTION BLDG	SF								
17120 GEN INST BLDG	SF	23,548		41,721	65,269	42,440	42,440	(18,892)	(g,h) Total allowed and required based on student load and number of instructors at Regional Training Site-Maintenance.
	PN			2,400	2,400	120	120	(120)	
FCG Totals:	Area	23,548		41,721	65,269	42,440	42,440	(18,892)	
	Other			2,400	2,400	120	120	(120)	
F17122 MISC TRG SPT FAC	SF								
17122 RG/TGT HOUSE	SF	9,420		8,497	17,917		9,420		(h) Total required based on existing permanent assets.
17123 RG SPT FAC	SF			1,900	1,900				
17139 COV TRAIN AREA	SF					26,460	26,460	(26,460)	(g,h) Total allowed and required based on Training Areas which have been sized by NGB-ARO being authorized 1-3,780 gross square foot weapons / BII cleaning / maintenance facility per each 1,000 troop capacity. Criteria: National Guard PAM 415-12.
FCG Totals:	Area	9,420		10,397	19,817	26,460	35,880	(26,460)	
	Other								
F17140 TRG CTR-NG/USAR	SF								
17180 ARNG ARMORY	SF					30,610	30,610	(30,610)	(g,h) Total allowed & required based on number of National Guard personnel assigned to Armory. Criteria: National Guard PAM 415-12
	PN					85	85	(85)	
FCG Totals:	Area					30,610	30,610	(30,610)	
	Other					85	85	(85)	

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 8

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F17170 GAS CHAMBERS	SF								
17170 GAS CHAMBER	SF			2,592	2,592				
FCG Totals:	Area Other			2,592	2,592				
F17700 MANUEVER/TNG LAND	AC								
17710 MAN/TRN AREA LT	AC	6,049			6,049		6,049		(h) Total required based on existing permanent assets.
17720 MAN/TRN AREA HV	AC	26,781			26,781		26,781		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	32,830			32,830		32,830		
F17730 IMPACT AREAS	AC								
17730 IMPACT AREA DUD	AC	8,130			8,130		8,130		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	8,130			8,130		8,130		
F17800 MISC RANGES	FP								
17814 NS SML ARMS RNG	AC		24		24				
	FP		17		17				
FCG Totals:	Area Other		24 17		24 17				
F17801 RIFLE/MG ZERO RG	FP								
17801 BSC 10M-25M RG	AC	12			12		12		
	FP	208			208		208		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	12 208			12 208		12 208		



# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

PAGE 9

For use of this form, see AR 210-20; the proponent agency is USACE

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F17810 KNOWN DIST (KD) RG	FP								
17810 KD RANGE	AC	12			12		12		
	FP	51			51		51		(h) Total required based on existing permanent assets.
FCG Totals:	Area	12			12		12		
	Other	51			51		51		
F17821 PISTOL QUAL RG	FP								
17821 CBT PISTOL CRS	AC	1			1		1		
	FP	13			13		13		(h) Total required based on existing permanent assets.
17823 SUB-MG RANGE	AC								
	FP	1			1		1		(h) Total required based on existing permanent assets.
FCG Totals:	Area	1			1		1		
	Other	14			14		14		
F17831 MG QUAL RG	FP								
17831 MG TRANS RG	AC	12			12		12		
	FP	7			7		7		(h) Total required based on existing permanent assets.
17832 MG FLD FIRE RG	AC		12		12				
	FP		6		6				
FCG Totals:	Area	12	12		24		12		
	Other	7	6		13		7		
F17841 LT ANTIARMOR WPN RG	FP								
17841 LAW RNG SUBCAL	AC			10	10				
	FP			8	8				
FCG Totals:	Area			10	10				
	Other			8	8				

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

PAGE 10

For use of this form, see AR 210-20; the proponent agency is USACE

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F17852 MORTAR RANGE	FP								
17852 MORTAR RANGE	AC		45		45				
	FP		21		21				
FCG Totals:	Area		45		45				
	Other		21		21				
F17856 FA INDIRECT RG	FP								
17856 FA INDIRECT RNG	AC								
	FP		1		1				
FCG Totals:	Area								
	Other		1		1				
F17861 TANK SCALE RGS	FP								
17861 TNK RNG 1:30/60	AC	4			4		4		
	FP	4			4		4		(h) Total required based on existing permanent assets.
FCG Totals:	Area	4			4		4		
	Other	4			4		4		
F17881 GRENADE RG NON-FIRE	FP								
17882 HAND GR QUAL NF	AC	4	3		7		4		
	FP	6	4		10		6		(h) Total required based on existing permanent assets.
FCG Totals:	Area	4	3		7		4		
	Other	6	4		10		6		
F17883 GRENADE RG LIVE	FP								
17883 LIV HAND GR RNG	AC		2		2				
	FP		3		3				
FCG Totals:	Area		2		2				
	Other		3		3				

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 11

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F17884 GRENADE LCHR RG	FP								
17884 GRENADE LCHR RG	AC		12		12				
	FP		16		16				
FCG Totals:	Area		12		12				
	Other		16		16				
F17894 INFANTRY BATTLE CRS	FP								
17894 INF SQ BTL CSE	AC		80		80				
	FP		20		20				
17896 INF PLT BTL CSE	AC		200		200				
	FP		24		24				
FCG Totals:	Area		280		280				
	Other		44		44				
F17900 MISC TNG FAC	EA								
17970 HVY DEMO	AC		12		12				
	EA		2		2				
17980 PARADE/DRIL FLD	AC	126			126		126		
	EA	1			1		1		(h) Total required based on existing permanent assets.
FCG Totals:	Area	126	12		138		126		
	Other	1	2		3		1		
F17921 DEMOLITION/FLAME RG	EA								
17921 LT DEMO RNG	AC	10			10		10		
	EA	1			1		1		(h) Total required based on existing permanent assets.
17922 FLAME OPNS RG	AC								
	EA	26			26		26		(h) Total required based on existing permanent assets.
FCG Totals:	Area	10			10		10		
	Other	27			27		27		

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 12

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F21110 ACRFT MAINT FAC	SF								
21110 AC MAINT HGR	SF					67,500	67,500	(67,500)	(g,h) Total allowed & required based on number and type of aircraft to be maintained. Criteria: National Guard PAM 415-12. The Center for Interdisciplinary Remotely Piloted Aircraft Studies (CIRPAS) is authorized 9,600 SF in support of unmanned aerial vehicle (UAV) operations. MTC Camp Roberts is authorized 57,900 SF of hangar to support aviation unit training.
21120 AC COMP MAINT	SF			2,360	2,360				
FCG Totals: Area Other				2,360	2,360	67,500	67,500	(67,500)	
F21407 NG MAINT FAC	SF								
21407 ARNG VEH MAINT	SF	105,244		69,164	174,408	18,600	18,600	86,644	(g,h) Total allowed & required based on number of required full time support maintenance personnel assigned to vehicle maintenance facility. Criteria: National Guard PAM 415-12 (i) Balance may be used to offset requirement for category code 21835 (MATES).
FCG Totals: Area Other		105,244		69,164	174,408	18,600	18,600	86,644	

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 13

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F21410 VEH MAINT SHOP	SF								
21410 VEH MAINT SHOP	SF			36,851	36,851				
	VE			35	35				
21412 MAINT STORAGE	SF					20,800	20,800	(20,800)	(g,h) Total allowed & required for unheated storage is based on 250 SF for every work bay up to four and 150 SF for every work bay over four. Criteria: National Guard PAM 415-12. The Regional Training Site-Maintenance (RTS-M) is authorized 7,700 SF for storage of tool sets, spares, calibration equipment, etc.
21414 GEN ITEM REPAIR	SF			2,725	2,725				
21470 OIL STR BLDG	SF	801			801		801		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	801		39,576 35	40,377 35	20,800	21,601	(20,800)	
F21885 DOL VEH MAINT	SF								
21835 REPAIR BAYS DOL	SF VE					101,600	101,600	(101,600)	(g,h) Total allowed & required based on number of required full time support maintenance personnel assigned to vehicle maintenance facility. Criteria: National Guard PAM 415-12 (i) Balance may be partially offset by use of excess assets under category code 21407 (OMS).
21882 GEN ITM REP DOL	SF			17,040	17,040				
21885 MNT GEN PURP	SF			4,872	4,872				
FCG Totals:	Area Other			21,912	21,912	101,600	101,600	(101,600)	

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 14

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F21900 INSTAL MAINT/REP FAC	SF								
21910 ENG/HOUSING MNT	SF		152	78,616	78,768	13,650	13,650	(13,650)	(h) Requirement based on number of maintenance personnel assigned to the installation.
FCG Totals:	Area Other		152	78,616	78,768	13,650	13,650	(13,650)	
F41100 BULK LIQUID FUEL STR	BL								
41121 BULK JET ABV	BL	20,000		351	20,351		20,000		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	20,000		351	20,351		20,000		
F41200 LIQ STR, OTHER	GA								
41210 LIQ STR NONPROP	GA			30,000	30,000				(h) Total required based on existing permanent assets.
FCG Totals:	Area Other			30,000	30,000				
F42200 INSTAL AMMO STR	SF								
42215 HE MAG INST	SF		9,100		9,100				(h) Total required based on existing permanent assets.
42231 AMMO STRHS INST	SF	2,400			2,400		2,400		
42280 IGLOO STR INST	SF	6,000		7,200	13,200		6,000		
FCG Totals:	Area Other	8,400	9,100	7,200	24,700		8,400		(h) Total required based on existing permanent assets.

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 15

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F43200 INSTAL COLD STR	SF								
43211 COLD STR INST	SF	24,602			24,602	24,700	24,602		(h) Total allowed based on number of barracks spaces, hospital beds, and average number of reservists training at the installation. Total required based on existing permanent assets.
	CF	16,088			16,088		16,088		
43220 MEAT CUT PLT IN	SF	9,888			9,888			9,888	
	CF	32,760			32,760			32,760	
FCG Totals:	Area	34,490			34,490	24,700	24,602	9,888	
	Other	48,848			48,848		16,088	32,760	
F44210 ENCLOSED STR, INSTAL	SF								
44220 STORAGE GP INST	SF	36,742	9,862	258,409	305,013	37,053	37,053	(311)	(h) Total allowed and required based on the supported troop training strength (7,300 troops). Criteria: National Guard PAM 415-12.
	CF	1			1			1	
FCG Totals:	Area	36,742	9,862	258,409	305,013	37,053	37,053	(311)	
	Other	1			1			1	
F44215 CVR STR, INSTAL	SF								
44222 STR SHED GP INS	SF			7,280	7,280				
	CF								
FCG Totals:	Area			7,280	7,280				
	Other								
F44228 HAZARD STR, INSTAL	SF								
44228 HAZ MAT STR INS	SF			1,560	1,560				
	CF								
44240 FLAM MAT STR IN	SF	312		1,290	1,602		312		(h) Total required based on existing permanent assets.
	CF								
FCG Totals:	Area	312		2,850	3,162		312		
	Other								

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 16

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F44262 VEHICLE STORAGE	SF								
44262 VEH STR SHED IN	SF	6,400		5,520	11,920			6,400	(i) Excess SF for this facility (Vehicle Storage Building) may utilized to help meet the SY shortfall for category code 85210, Org Vehicle Parking.
	CF								
FCG Totals: Area Other		6,400		5,520	11,920			6,400	
F45200 OPEN STORAGE, INSTAL	SY								
45210 OPEN STR INST	SY	528,214			528,214		528,214		(h) Total required based on existing permanent assets.
FCG Totals: Area Other		528,214			528,214		528,214		
F53020 MED LAB	SF								
53020 LABORATORY	SF			1,701	1,701				
FCG Totals: Area Other				1,701	1,701				
F53040 VET FAC	SF								
53040 VET FACILITY	SF			2,001	2,001				
FCG Totals: Area Other				2,001	2,001				
F54000 DENTAL FACILITIES	SF								
54010 DENTAL CLINIC	SF			8,166	8,166				
	OU			34	34				
FCG Totals: Area Other				8,166	8,166				
				34	34				



# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

PAGE 17

For use of this form, see AR 210-20; the proponent agency is USACE

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F55000 DISPENSARY & CLINIC	SF								
55010 HEALTH CLINIC	SF	7,318		13,704	21,022	9,200	9,200	(1,882)	(g,h) Total allowed & required based on MTA troop training strength (7,300). Criteria :National Guard PAM 415-12
	BD	10			10			10	
FCG Totals:	Area	7,318		13,704	21,022	9,200	9,200	(1,882)	
	Other	10			10			10	
F60000 ADMINISTRATIVE FAC	SF								
61050 ADMIN GEN PURP	SF	17,515	44,446	85,201	147,162	37,460	37,460	(19,945)	(g,h) Total allowed and required is based on the number of personnel assigned to the Maneuver Training Center (MTC) Camp Roberts. Criteria: National Guard PAM 415-12
	PN	25	68	1,012	1,105	210	210	(185)	
FCG Totals:	Area	17,515	44,446	85,201	147,162	37,460	37,460	(19,945)	
	Other	25	68	1,012	1,105	210	210	(185)	
F69000 ADMIN STRC, NON-BLDG	EA								
69010 FLAGPOLE	EA			4	4				
69030 FAC INFO SIGN	EA	3			3		3		(h) Total required based on existing permanent assets.
FCG Totals:	Area	3		4	7		3		
	Other								
F71100 FH DWELLINGS	SF								
71111 FH GENERAL OFF	SF	2,261			2,261		2,261		(h) Total required based on existing permanent assets.
	FA	1			1		1		
FCG Totals:	Area	2,261			2,261		2,261		
	Other	1			1		1		

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

PAGE 18

For use of this form, see AR 210-20, the proponent agency is USACE

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F71300 TRAILER SITES	FA								
71310 TRAILER SITES	FA	72			72		72		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	72			72		72		
F71400 FH DETACH FAC	SF								
71410 GARAGE FH DET	SF			936	936				
	VE			3	3				
71420 DET STR FH	SF			330	330				
71450 TRALR PARK BLDG	SF			7,200	7,200				
FCG Totals:	Area Other			8,466	8,466				
				3	3				
F72100 UPH, EN FAC	SF								
72111 ENLISTED UPH	SF			14,160	14,160	44,770	44,770	(44,770)	(g,h) Total allowed & required based on number of assigned personnel for the United States Army Space Command (USARSPACE) Satellite Communications Station (SATCOMSTA). SATCOMSTA requirement is 44,770 SF.
	SP			156	156	121	121	(121)	
FCG Totals:	Area Other			14,160	14,160	44,770	44,770	(44,770)	
				156	156	121	121	(121)	
F72114 ANNUAL TRG/MOB BRKS	SF								
72114 AT ENL BARRACKS	SF		505,040	1,189,440	1,694,480	735,400	735,400	(735,400)	(g,h) Total allowed & required based on MTA troop training strength (7,300). Criteria: National Guard PAM 415-12
	SP		5,564	13,104	18,668	5,694	5,694	(5,694)	
FCG Totals:	Area Other		505,040	1,189,440	1,694,480	735,400	735,400	(735,400)	
			5,564	13,104	18,668	5,694	5,694	(5,694)	

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 19

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F72170 UPH, SR NCO FAC	SF								
72170 UPH SR NCO	SF					172,460	172,460	(172,460)	(g,h) Total allowed & required based on MTA troop training strength (7,300). Criteria: National Guard PAM 415-12
	SP					730	730	(730)	
FCG Totals:	Area Other					172,460 730	172,460 730	(172,460) (730)	
F72181 BASIC TRG BRKS FAC	SF								
72181 TRAINEE BKS	SF					47,800	47,800	(47,800)	(h) Total allowed and required based on student load and number of guest instructors supported at the Regional Training Site-Maintenance (RTS-M). Criteria: National Gurad PAM 415-12.
	SP					127	127	(127)	
FCG Totals:	Area Other					47,800 127	47,800 127	(47,800) (127)	
F72200 UPH DINING FAC	SF								
72210 DINING FACILITY	SF	14,450	78,030	189,986	282,466	191,672	191,672	(177,222)	(g,h) Total allowed & required based on dining facility for Major Training Area. Criteria: National Guard PAM 415-12 (i) Balance is partially met by use of assets under category codes 74047 and 74048.
	PN	1,250	6,652	16,125	24,027	7,300	7,300	(6,050)	
FCG Totals:	Area Other	14,450 1,250	78,030 6,652	189,986 16,125	282,466 24,027	191,672 7,300	191,672 7,300	(177,222) (6,050)	
F72300 UPH DETACH FAC	SF								
72360 DAY ROOM DET	SF			7,835	7,835				
FCG Totals:	Area Other			7,835	7,835				

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 20

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F72400 UPH, OFCR FAC	SF								
72410 UOQ MILITARY	SF		69,600	132,199	201,799				
	PN		223	380	603				
72411 UOQ TRANSIENT	SF					235,190	235,190	(235,190)	
	PN					875	875	(875)	(g,h) Total allowed & required based on MTA troop training strength (7,300). Criteria: National Guard PAM 415-12
FCG Totals:	Area		69,600	132,199	201,799	235,190	235,190	(235,190)	
	Other		223	380	603	875	875	(875)	
F73000 INSTAL PERS SPT FAC	SF								
73075 SEP TOIL/SHOWER	SF	924	996	9,159	11,079		924		
									(h) Total required based on existing permanent assets.
FCG Totals:	Area	924	996	9,159	11,079		924		
	Other								
F73010 FIRE AND RESCUE FAC	SF								
73010 FIRE STATION	SF			11,004	11,004	11,400	11,400	(11,400)	
	VE			6	6				(g,h) Total allowed & required is based on requirement to support a One Company HQ station (5,950 SF) and a One Company Satellite Station (5,550 SF) at the Camp Roberts Army Airfield. Criteria: National Guard PAM 415-12
FCG Totals:	Area			11,004	11,004	11,400	11,400	(11,400)	
	Other			6	6				

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 21

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F73016 POLICE/MP STATIONS	SF								
73016 POLICE/MP STA	SF		1,326		1,326	18,460	18,460	(18,460)	(h) Total allowed and required based on number of personnel assigned to installation Provost Marshal Office/Military Police. Criteria: National Guard PAM 415-12.
FCG Totals:	Area Other		1,326		1,326	18,460	18,460	(18,460)	
F73017 RELIGIOUS FACILITIES	SF								
73017 CHAPEL	SF SE	7,039	18,462		25,501	15,310 260	15,310 260	(8,271) (260)	(h) Total allowed and required based upon military strength and family members supported at MTC Camp Roberts (4,894 total). Criteria: DCIS
FCG Totals:	Area Other	7,039	18,462		25,501	15,310 260	15,310 260	(8,271) (260)	
F74000 INSTAL MWR SPT FAC	SF								
74029 GREENHOUSE	SF		800		800				(h) Total required based on existing permanent assets.
74089 OD POOL SER BLD	SF	704			704		704		
FCG Totals:	Area Other	704	800		1,504		704		
F74010 AUDITORIUMS, GP	SF								(h) Total allowed and required based on total military population supported. Criteria: no standard criteria exist for this type of facility.
74010 AUDITORIUM GP	SF SE			24,472 2,016	24,472 2,016	17,200 1,000	17,200 1,000	(17,200) (1,000)	
FCG Totals:	Area Other			24,472 2,016	24,472 2,016	17,200 1,000	17,200 1,000	(17,200) (1,000)	

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 22

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F74028 FITNESS FACILITIES	SF								
74028 PHYS FIT CTR	SF			24,180	24,180	27,637	27,637	(27,637)	(h) Total allowed and required based on military strength plus 25% of family members. Criteria: USAREUR Space and Planning Criteria Manual.
FCG Totals:	Area Other			24,180	24,180	27,637	27,637	(27,637)	
F74032 GUEST HOUSE FACI	SF								
74032 GUEST HOUSE	SF PN			9,077 6	9,077 6				
FCG Totals:	Area Other			9,077 6	9,077 6				
F74046 OPEN DINING FACI	SF								
74046 CONSOL OPEN DIN	SF SE					15,000	15,000	(15,000)	(h) Total allowed and required based on 50% of military plus 50% family members plus 50% retirees (4,307 total). Criteria: ACTS.
74047 ENL OPEN DINING	SF SE	2,360		12,507	14,867			2,360	(i) Excess SF for this facility may utilized to help meet the shortfall for category code 72210, Dining Facility.
74048 OFF OPEN DINING	SF SE	3,212		20,759	23,971			3,212	(i) Excess SF for this facility may utilized to help meet the shortfall for category code 74046, Consolidated Open Mess.
FCG Totals:	Area Other	5,572		33,266	38,838	15,000	15,000	(9,428)	

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 23

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F74051 EXCHANGE EATING FAC	SF								
74062 FST FD/SNK BAR	SF			1,525	1,525				
FCG Totals:	Area Other			1,525	1,525				
F74052 EXCHANGE SERVICE STA	SF								
74052 EXCH AUTO SER	SF OL	96		850	946		96		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	96		850	946		96		
F74053 EXCHANGE RETAIL FAC	SF								
74050 EXCHANGE BRANCH	SF			25,444	25,444				
74053 EXCH MAIN STORE	SF			7,212	7,212				
74056 EXCH SER OUTLET	SF			4,175	4,175				
74058 EXCH CONCESSION	SF			7,079	7,079				
FCG Totals:	Area Other			43,910	43,910				
F74054 EXCHANGE SUPPORT FAC	SF								
74055 EXCH WAREHOUSE	SF CF			18,852	18,852				
FCG Totals:	Area Other			18,852	18,852				

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 24

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F74065 RECREATIONAL CENTERS	SF								
74068 RECREATION CTR	SF			109,406	109,406	27,800	27,800	(27,800)	
									(h) Total allowed and required based on number of military plus 10% of family members. Criteria: DCIS
FCG Totals:	Area Other			109,406	109,406	27,800	27,800	(27,800)	
F75000 MISC OUTDOOR REC FAC	EA								
75027 RUNNING TRACK	EA					1	1	(1)	(h) Total allowed and required based on military strength. Criteria: ACTS
FCG Totals:	Area Other					1	1	(1)	
F75011 COURT AREAS	EA								
75011 COURT AREA	EA			2	2	8	8	(8)	(h) Total allowed and required based on military strength.
FCG Totals:	Area Other			2	2	8	8	(8)	
F75020 BASEBALL FIELDS	EA								
75020 BASEBALL FIELD	EA					1	1	(1)	(h) Total allowed and required based on military strength plus youth population between ages 6 and 19 years old. Criteria: ACTS
FCG Totals:	Area Other					1	1	(1)	



# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 25

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F75021 SOFTBALL FIELDS	EA								
75021 SOFTBALL FIELD	EA	1			1	8	1		(h) Total allowed and required based on military strength. Criteria: DCIS
FCG Totals: Area Other		1			1	8	1		
F75022 MULTI ATHLETIC FLDS	EA								
75022 MULTI ATH FIELD	EA					4	1		(1) (h) Total allowed and required based on military strength. Criteria: ACTS
FCG Totals: Area Other						4	1	(1)	
F75030 OUTDOOR POOLS	EA								
75030 OD SWIM POOL	EA	1			1	1	1		(h) Total allowed and required based on military strength plus 70% of family members. Criteria: ACTS
FCG Totals: Area Other		1			1	1	1		
F75050 OUTDOOR THEATERS	EA								
75050 OUTDOOR THEATER	EA			1	1	1	1		(1) (h) Total allowed and required based on existing facilities.
FCG Totals: Area Other				1	1	1	1	(1)	

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 26

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F75065 JOG/FIT/BIKE TRAIL	EA								
75065 JOG/FIT/BIKE TR	EA					1	1	(1)	
FCG Totals: Area Other						1	1	(1)	
F76000 MUSEUMS & MEMORIALS	EA								
76010 MUSEUM	SF EA	6,944			6,944		6,944		(h) Total required based on existing permanent assets.
FCG Totals: Area Other		6,944			6,944		6,944		
F81200 ELECTRIC POWER LINES	LF								
81230 EXT LIGHTING	LF	159,355			159,355		159,355		(h) Total required based on existing permanent assets.
81241 OH ELECT LINES	LF	386,290			386,290		386,290		(h) Total required based on existing permanent assets.
FCG Totals: Area Other		545,645			545,645		545,645		
F81300 PWR SUBSTATIONS/SWH	KV								
81350 ELECT SW STAT	KV	12,000			12,000		12,000		(h) Total required based on existing permanent assets.
81360 TRANSFORMERS	KV	239			239		239		(h) Total required based on existing permanent assets.
FCG Totals: Area Other		12,239			12,239		12,239		

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 27

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F82400 GAS TRANSMISSION LN	LF								
82410 GAS PIPELINES	LF	215,594			215,594		215,594		(h) Total required based on existing permanent assets.
FCG Totals:	Area								
	Other	215,594			215,594		215,594		
F83112 WST WATER TREAT, SEC	KG								
83112 SECONDARY TREAT	KG	1,238			1,238		1,238		(h) Total required based on existing permanent assets.
FCG Totals:	Area								
	Other	1,238			1,238		1,238		
F83120 WST TREAT SPT FAC	KG								
83120 SEP TK/DRN FLD	KG	881			881		881		(h) Total required based on existing permanent assets.
FCG Totals:	Area								
	Other	881			881		881		
F83150 SEWAGE LIFT STATIONS	KG								
83150 SEWAGE LFT STAT	KG			344	344				
FCG Totals:	Area								
	Other			344	344				
F83200 SWG/WST COLLECT LN	LF								
83210 SANITARY SEWER	LF	216,692			216,692		216,692		(h) Total required based on existing permanent assets.
FCG Totals:	Area								
	Other	216,692			216,692		216,692		

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 28

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F83410 LANDFILLS, SANITARY	AC								
83410 SANITARY LANFIL	AC TN	601			601		601		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	601			601		601		
F84130 WATER SOURCE-POTABLE	KG								
84130 WATER WELL POT	KG	576,390	1,334	1,339	579,063		576,390		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	576,390	1,334	1,339	579,063		576,390		
F84150 CHLORINATOR FAC	KG								
84150 CHLORINATOR FAC	KG			264	264				
FCG Totals:	Area Other			264	264				
F84200 WATER DISTR LN - POT	LF								
84210 WATER DIST POT	LF	323,589			323,589		323,589		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	323,589			323,589		323,589		
F84600 WAT STORAGE-POT	GA								
84610 WAT STR TK POT	GA	1,942,200			1,942,200		1,942,200		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	1,942,200			1,942,200		1,942,200		

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 29

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F85100 ROADS, SURFACED	SY								
85110 ROADS, SURFACED	SY	962,389			962,389		962,389		(h) Total required based on existing permanent assets.
	MI								
FCG Totals:	Area Other	962,389			962,389		962,389		
F85120 VEHICLE BRIDGES	SY								
85120 VEHICLE BRIDGE	SY			1,303	1,303				
				673	673				
FCG Totals:	Area Other			1,303	1,303				
				673	673				
F85130 ROADS, UNSURFACED	SY								
85130 ROADS UNSURFACE	SY	748,975			748,975		748,975		(h) Total required based on existing permanent assets.
	MI								
FCG Totals:	Area Other	748,975			748,975		748,975		
F85150 TANK TRAILS	SY								
85150 TANK TRAIL	SY	2,346,666			2,346,666		2,346,666		(h) Total required based on existing permanent assets.
	MI	200			200		200		
FCG Totals:	Area Other	2,346,666			2,346,666		2,346,666		
		200			200		200		

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 30

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F85210 PARKING-ORGANIZATION	SY								
85210 ORG PARK SURFAC	SY	135,304			135,304	250,685	250,685	(115,381)	
<p>(g,h) Total allowed &amp; required based on number &amp; type of vehicles assigned at each facility type.                      Armory Org parking = 10,690 SY                      OMS Org parking = 620 SY                      MATES Org Parking = 92,710 SY                      Battalion Block Org Parking (AT Troops) = 138,380 SY                      RTS-M Org Parking = 6,460 SY                      1402 ENGR TM (FF) Org Parking = 250 SY                      CO B I-149 AR Org Parking = 1,575 SY                      (i) Balance may be partially offset by use of assets under category code 44262.</p>									
FCG Totals:	Area Other	135,304			135,304	250,685	250,685	(115,381)	

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

PAGE 31

For use of this form, see AR 210-20; the proponent agency is USACE

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F85215 PARKING-NONORG	SY								
85215 NONORG PK SURFA	SY					109,025	109,025	(109,025)	(g,h) Total allowed & required based on 35 SY per person (see allowance worksheets for percentage breakout of each type of facility). Allowances are as follows: Armory POV parking = 2,380 SY OMS POV parking = 810 SY AT troop POV parking = 63,875 SY Brigade Hqs POV parking = 420 SY (Each) Battalion Hqs POV parking = 280 SY (Each) Company Hqs POV parking = 280 SY (Each) Battalion Ration POV parking = 280 SY (Each) Troop medical clinic POV parking = 350 SY MATES POV parking = 7,070 SY Dining Facility POV parking = 5,000 SY (i) Balance may be offset by assets under category code 85216.
85216 NONORG PK UNSUR	SY	32,651			32,651		32,651		(h) Total required based on existing permanent assets.
FCG Totals: Area Other		32,651			32,651	109,025	141,676	(109,025)	
F85220 WALKWAYS AND BRIDGES	SY								
85220 SIDEWALKS SURFA	SY	114,381			114,381		114,381		(h) Total required based on existing permanent assets.
FCG Totals: Area Other		114,381			114,381		114,381		
F86000 TRACKS, RAILROAD	MI								
86010 RAILROAD TRACKS	MI	5			5		5		(h) Total required based on existing permanent assets.
FCG Totals: Area Other		5			5		5		

# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 32

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j
F87100 GROUND, DRAINAGE	LF								
87110 STORM SEWER	LF	27,730			27,730		27,730		(h) Total required based on existing permanent assets.
87120 DRAINAGE DITCH	LF	171,800			171,800		171,800		(h) Total required based on existing permanent assets.
87130 IRRIGATION FAC	LF	8,008			8,008		8,008		(h) Total required based on existing permanent assets.
87140 DIKES	LF	2,338			2,338		2,338		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	209,876			209,876		209,876		
F87200 FENCING AND GATES	LF								
87210 FENCING/WALLS	LF	370,119			370,119		370,119		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	370,119			370,119		370,119		
F89100 PLANT/UTILITIES BLDG	SF								
89141 WTR SUP/TRT BLD	SF	240			240		240		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	240			240		240		
F91100 LAND OWNED BY ARMY	AC								
91110 LAND HELD PUR	AC	42,361			42,361		42,361		(h) Total required based on existing permanent assets.
FCG Totals:	Area Other	42,361			42,361		42,361		



# INSTALLATION TABULATION OF EXISTING AND REQUIRED FACILITIES

For use of this form, see AR 210-20; the proponent agency is USACE

PAGE 33

INSTALLATION: **MTC CAMP ROBERTS**

INSNO: **06740**

ASIP DATED:

DATE PREPARED: March 1999

DATE(S) REVISED: November 1999

FACILITY CATEGORY GROUP AND CATEGORY CODE	UNIT OF MEASURE	EXISTING ASSETS				TOTAL ALLOWED	TOTAL REQUIRED	BALANCE	REMARKS
		PERMANENT	SEMI- PERMANENT	TEMPORARY	TOTAL EXISTING				
a	b	c	d	e	f	g	h	i	j

F92100 EASEMENTS

AC

92110 EASEMENT PRCHD

AC

1

1

1

(h) Total required based on existing permanent assets.

FCG Totals: Area  
Other

1

1

1